

542,126

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
29 July 2004 (29.07.2004)

PCT

(10) International Publication Number
WO 2004/064008 A1

(51) International Patent Classification⁷: **G09B 5/04**,
19/04, 19/06

(21) International Application Number:
PCT/NL2004/000020

(22) International Filing Date: 12 January 2004 (12.01.2004)

(25) Filing Language: Dutch

(26) Publication Language: English

(30) Priority Data:
1022412 16 January 2003 (16.01.2003) NL

(71) Applicant (for all designated States except US):
KLANKIE B.V. [NL/NL]; Jaap Bijzerweg 11b, NL-3446
CR Woerden (NL).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **DRIEDIJK, Ademar,
Odin, Haron** [NL/NL]; Stouthandelstraat 18, NL-2461 AP
Ter Aar (NL).

(74) Agents: **LANGENHUIJSEN, Bastiaan, Wilhelmus et
al.**; Patentwerk Bv, P.o. Box 1514, NL-5200 BN 's-her-
togenbosch (NL).

(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,

AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,
MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,
PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM,
ZW.


(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),
Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), Euro-
pean (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR,
GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK,
TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW,
ML, MR, NE, SN, TD, TG).

Declaration under Rule 4.17:

— as to applicant's entitlement to apply for and be granted
a patent (Rule 4.17(ii)) for the following designations AE,
AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ,
CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE,
EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS,
JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA,
MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM,
PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ,
TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM,
ZW, ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD,
SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY,

[Continued on next page]

(54) Title: DEVICE AND METHOD FOR VOICING PHONEMES, AND KEYBOARD FOR USE IN SUCH A DEVICE



(57) Abstract: The invention relates to a device for voicing phonemes, comprising: a keyboard, which keyboard comprises at least one support structure and a plurality of keys connected to the support structure, wherein each key of at least a number of the keys is designated with at least one linguistic symbol, an electronic processing unit connected to the keyboard for recording keystrokes, and sound-producing means connected electronically to the processing unit. The invention also relates to a keyboard for use in such a device. The invention further relates to a method for voicing phonemes by means of such a device.

WO 2004/064008 A1



KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Published:

— with international search report

Device and method for voicing phonemes, and keyboard for use in such a device

The invention relates to a device for voicing phonemes, comprising: a keyboard, which keyboard comprises at least one support structure and a plurality of keys connected to the support structure, wherein each key of at least a number of the keys is designated with at least one linguistic symbol, an electronic processing unit connected to the keyboard for recording keystrokes, and sound-producing means connected electronically to the processing unit. The invention also relates to a keyboard for use in such a device. The invention further relates to a method for voicing phonemes by means of such a device.

Children and non-native persons generally first learn to use a particular language verbally, before they learn to read and write this language. The use of information and communication technology (ICT) can improve education and the learning process and provide an added educational value. (Language) skills can thus for instance be taught by means of ICT, whereby ICT does in fact assume a 'teacher-substitute' role in the educational process. Computers are generally already being applied on a large scale for educational purposes. The conventional computers are not however the most ideal aid for teaching children and non-native persons reading skills and writing skills of a particular language. It is at present therefore relatively difficult for such people to learn to read and write using conventional ICT-related devices.

The invention has for its object to provide an improved device, using which illiterate people can learn to read and write in relatively effective manner.

The invention provides for this purpose a device of the type stated in the preamble, characterized in that the processing unit is provided with conversion means for converting at least one recorded keystroke into a signal for a phoneme corresponding to this at least one keystroke, wherein the sound-producing means are adapted for voicing of the phoneme. The above stated device has the great advantage that using the device a direct connection can be made between the linguistic symbol shown on a key for visual representation of a phoneme and the (acoustic) voicing of this phoneme. In this manner illiterate people can link an auditory phoneme to a visual representation of this phoneme in relatively efficient manner. An illiterate person remembering which linguistic symbol

is linked to which phoneme can take place relatively quickly using the device according to the invention. The conversion means can be of very diverse nature. The conversion means can be formed by both hardware and software, as well as by a combination of both. It is noted that physical contact between different components forming part of the device according to the invention is not essential. Wireless communication for instance can thus also be envisaged. Conversely, it is likewise possible to embody the device according to the invention as a completely integrated system.

In a preferred embodiment at least one phonetic symbol is shown on each of at least a number of the keys of the keyboard. The phonetic symbol can for instance be formed by a single letter or by a combination of letters. Since phonetic symbols are generally more closely related to a determined phoneme than conventional letters, in particular capitals, it will generally be possible to accelerate the educational process considerably. The phonetic symbols do not necessarily have to be shown on the keys. What is essential is that a person can see unambiguously that a pictured phonetic symbol is associated with a specific key. It is noted that a linguistic symbol is understood to mean any symbol used in writing to indicate a phoneme or combination of phonemes. Linguistic symbols can for instance thus be understood to mean: capitals, lower case letters, phonetic characters or symbols, digits and/or numbers, and optional picturing for the purpose of designating one or more phonemes.

The processing unit is preferably connected electronically to visualizing means for visualizing the phonemes associated with the keystrokes. The visualizing means can for instance be formed by a screen, in particular a monitor. In addition to hearing a phoneme, a person can thus also see how a phoneme can be visualized, optionally phonetically, or for instance in which word (and associated image) such a phoneme occurs. It will be apparent that numerous other possibilities remain for direct and/or indirect visualization of the phoneme.

In a preferred embodiment the conversion means are adapted for conversion of a plurality of entered keystrokes into a single signal corresponding with these keystrokes. In this manner the plurality of entered keystrokes can be 'pronounced' (voiced) by the device as a single connected letter combination, in particular a word. An illiterate

person can therefore not only learn to read and write linguistic symbols, but also words and possibly sentences.

5 In another preferred embodiment the processing unit is connected electronically to at least one database in which is stored a plurality of words and phonemes corresponding with these words. The entered keystrokes can then be compared to the words stored in the database, whereafter these words can further be voiced by the sound-producing means. In this manner an illiterate person can learn to read and write the (most basic) words of a particular language.

10

The processing unit is preferably formed by a central processing unit (CPU). The device can thus be formed by a special computer adapted for hardware and/or software-aided voicing of phonemes associated with inputted linguistic symbols.

15 In another preferred embodiment the sound-producing means are formed by at least one loudspeaker. Conventional loudspeakers can be relatively inexpensive and are generally of sufficient quality to achieve clear voicing of the phonemes.

20 The device is preferably provided with at least one information carrier, which information carrier is provided with the conversion means. The information carrier can for instance be formed by a (hard) disc, cd, dvd and so on. The conversion means are then digitally available on the information carrier and in particular are made up of a series of instructions to the processing unit. In the present preferred embodiment the conversion means are thus formed by a software module.

25

The invention also relates to a keyboard for use in such a device.

30 The invention further relates to a method for voicing phonemes by means of such a device, comprising the steps of: A) a user pressing at least one key, B) the processing unit recording the keystroke, C) converting the keystroke into a signal for a phoneme corresponding with the keystroke, and D) acoustically producing the phoneme.

Advantages of such a method have already been described above. It is not essential however to follow the above stated steps in the described sequence. It is thus also possible for instance to first perform step D), whereafter the user must enter the

linguistic symbol associated with the produced phoneme as according to step A). What is essential is that a link is made between a linguistic symbol and a phoneme associated with this linguistic symbol, and vice versa.

- 5 In a preferred embodiment a plurality of keys are pressed during pressing of at least one key by the user according to operating step A), whereafter the entered keystrokes are converted as according to operating step C) into a single signal for a phoneme corresponding with the keystrokes. Words and even sentences can thus be voiced when operating step D) is carried out.

10

- In another preferred embodiment, the method is provided with an operating step E), comprising of comparing the entered keystroke with words included in a database (vocabulary) before the phoneme is produced acoustically as according to operating step D) and after the keystroke is recorded as according to operating step B). A check is thus carried out by the device as to whether the entered keystroke or keystrokes corresponds or correspond with a word from the vocabulary included in the database. Checking of the entered keystrokes can be useful in preventing forming of non-words.

15

- In a final preferred embodiment, a delay of a determined time duration is present between recording of the keystroke by the processing unit as according to operating step B) and converting of the keystroke into a signal for a phoneme corresponding with the keystroke as according to operating step C). The user, normally an illiterate person, is thus given the opportunity to enter a subsequent linguistic symbol within the time duration, before a previously entered symbol is voiced. In this manner the user can form words, which can then be pronounced (voiced).

20

25

The invention will be elucidated on the basis of non-limitative exemplary embodiments shown in the following figures. Herein:

- figure 1 shows a schematic representation of a device according to the invention, and figure 2 shows a top view of a keyboard for use in the device according to figure 1.

30

Figure 1 shows a schematic representation of a device 1 according to the invention. In the shown embodiment the device 1 is specifically adapted for the Dutch language.

Device 1 comprises a central control unit 2 and a keyboard 3 connected to control unit

2. Keyboard 3 comprises a support structure 4 for a plurality of keys 5. Substantially each key 5 is provided with a linguistic imprint 6, wherein on a number of the keys 5 the imprint 6 is formed by a phonetic symbol. Keyboard 3 is further elucidated in figure 2. Control unit 2 is also coupled to a monitor 7 and a loudspeaker 8. By means of keyboard 3 a user, in particular an illiterate person, can press a key 5 or a plurality of keys 5 provided with a phonetic symbol. The entered keystrokes are recorded by control unit 2. The phonetic symbols associated with the entered keystrokes are then converted by control unit 2 into a signal which is transmitted to loudspeaker 8, where the signal is converted into an acoustic phoneme. On the other hand, the keystrokes recorded by control unit 2 are compared to a word included in a database (not shown). If the entered keystrokes are recognized by control unit 2 as being a word present in the database, data relating to this specific word can then be visualized on monitor 7. In the shown embodiment the word 'boom (tree)' is entered by the user. After being entered, the word 'boom' is 'pronounced' by speaker 8 and an image 9 of a tree is also shown on monitor 7, as well as a breakdown of the word 'boom' into visualized basic phonemes 10, i.e. "b-oo-m". It will be apparent that the shown embodiment is only an example, wherein this example then serves as an example for the Dutch language. It is therefore also possible to envisage adapting the device 1 for languages other than Dutch. What is however essential is that the writing skills and reading skills of a particular language can be mastered in relatively simple manner by means of voicing of entered (phonetic) symbols.

Figure 2 shows a top view of Dutch keyboard 3 for use in device 1 of figure 1. As already stated, keyboard 3 comprises a support structure 4 on which a plurality of keys 5 is arranged. Keys 5 are substantially provided with an imprint 6, wherein on a number of the keys 5 the imprint 6 is formed by phonetic symbols. The structure and lay-out of keys 5 on support structure 4 bears a very great resemblance to conventional keyboards so as to facilitate the transition from the shown keyboard 3 to a conventional keyboard. The phonetic symbols "b", "oo" and "m" are here shown in a double-line box, since these keys 5 are pressed to have the word 'boom' visualized on the one hand and voiced on the other by device 1. Keys 5 are shown marked in order to elucidate the functionality of different 'key groups'. An overview is shown hereinbelow of the different categories and the associated markings on keyboard 3.



General (conventional) keyboard functions



Numbers

5



Phonetic symbol with a phoneme corresponding with the phoneme of another phonetic symbol

10



Phonetic symbols with a unique phoneme



Phonetic symbol having multiple phonemes

15



Phonetic symbol with a phoneme corresponding with the phoneme of another phonetic symbol, wherein the phonetic symbol also has multiple phonemes

20



Currency keys, arrow keys and space bar



Backspace and enter key

25

Research results have shown that the above stated lay-out of keyboard 3 is very suitable for educational purposes. In this manner an individual educational keyboard 3 can be designed for each language. In addition to voicing of (a combination of) letters, it is also possible to voice digits and/or numbers using the shown keyboard 3 according to the invention. It is also possible to enter a multi-digit number by successively pressing a plurality of keys 5 provided with a digit. The successive pressing of key 5 "7" followed by key 5 "8" will thus be voiced by device 1 as being the number "78". However, the number "78" can of course also be formed by letters (instead of digits) and then be voiced (pronounced) by device 1. It is noted that conventional keyboards can also be

applied. The phonetic symbols can then be omitted or added, for instance via a pre-printed overlay sheet. What is essential however is the voicing of linguistic symbols shown on the keyboard.

Claims

1. Device for voicing phonemes, comprising:
 - a keyboard, which keyboard comprises at least one support structure and a plurality of keys connected to the support structure, wherein each key of at least a number of the keys is designated with at least one linguistic symbol,
 - an electronic processing unit connected to the keyboard for recording keystrokes, and
 - sound-producing means connected electronically to the processing unit,characterized in that the processing unit is provided with conversion means for converting at least one recorded keystroke into a signal for a phoneme corresponding to this at least one keystroke, wherein the sound-producing means are adapted for voicing of the phoneme.
2. Device as claimed in claim 1, characterized in that at least one phonetic symbol is shown on each of at least a number of the keys of the keyboard.
3. Device as claimed in claim 1 or 2, characterized in that the processing unit is connected electronically to visualizing means for visualizing the phonemes associated with the keystrokes.
4. Device as claimed in any of the foregoing claims, characterized in that the conversion means are adapted for conversion of a plurality of entered keystrokes into a single signal corresponding with these keystrokes.
5. Device as claimed in any of the foregoing claims, characterized in that the processing unit is connected electronically to at least one database in which is stored a plurality of words and phonemes corresponding with these words.
6. Device as claimed in any of the foregoing claims, characterized in that the processing unit is formed by a central processing unit (CPU).
7. Device as claimed in any of the foregoing claims, characterized in that the sound-producing means are formed by at least one loudspeaker.

8. Device as claimed in any of the foregoing claims, characterized in that the device is also provided with at least one information carrier, which information carrier
5 is provided with the conversion means.

9. Keyboard for use in a device as claimed in claim 2, and any of the claims 1, 3-8.

10. Method for voicing phonemes with a device as claimed in any of the claims 1-8,
10 comprising the steps of:

- A) a user pressing at least one key,
- B) the processing unit recording the keystroke,
- C) converting the keystroke into a signal for a phoneme corresponding with the
keystroke, and
- 15 D) acoustically producing the phoneme.

11. Method as claimed in claim 10, characterized in that a plurality of keys are
pressed during pressing of at least one key by the user according to operating step A),
whereafter the entered keystrokes are converted as according to operating step C) into a
20 single signal for a phoneme corresponding with the keystrokes.

12. Method as claimed in claim 11, characterized in that the phoneme forms a word.

13. Method as claimed in any of the claims 10-12, characterized in that the method
25 is provided with an operating step E), comprising of comparing the entered keystroke
with words included in a database before the phoneme is produced acoustically as
according to operating step D) and after the keystroke is recorded as according to
operating step B).

30 14. Method as claimed in any of the claims 10-13, characterized in that a delay of a
determined time duration is present between recording of the keystroke by the
processing unit as according to operating step B) and converting of the keystroke into a
signal for a phoneme corresponding with the keystroke as according to operating step
C).




FIG.1

2/2




FIG. 2

INTERNATIONAL SEARCH REPORT

In Application No
PCT/NL2004/000020

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 G09B5/04 G09B19/04 G09B19/06

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 G09B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EP0-Internal

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 533 055 A (CANON KK) 24 March 1993 (1993-03-24) abstract; claims 1-21 paragraphs '0001!', '0005!', '0006!	1-14
X	US 2002/106621 A1 (GODLEY GLENN R) 8 August 2002 (2002-08-08) column 2, line 21 - line 28 column 3, line 4 - line 12 column 3, line 33 - line 41 abstract; claims 1-21	1-14
X	US 5 010 495 A (WILLETTS JOHN A) 23 April 1991 (1991-04-23) abstract column 4, line 32 - line 59 column 9, line 16 - line 19 column 10, line 29 - line 50	1-14
-/--		

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

A document defining the general state of the art which is not considered to be of particular relevance

E earlier document but published on or after the international filing date

L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

O document referring to an oral disclosure, use, exhibition or other means

P document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

& document member of the same patent family

Date of the actual completion of the international search

27 April 2004

Date of mailing of the international search report

12/05/2004

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax (+31-70) 340-3016

Authorized officer

Kemény, M

INTERNATIONAL SEARCH REPORT

Application No
PCT/NL2004/000020

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 6 146 147 A (WASOWICZ JAN) 14 November 2000 (2000-11-14) abstract; figure 1 column 2, line 60 -column 3, line 20	1-14
Y	DE 199 35 070 A (TEAM CONCEPTS EUROP SOCIETE A) 27 July 2000 (2000-07-27) abstract; figure 1 column 3, line 12 - line 18	1-14
A	US 4 684 348 A (RAYNOR GRACE M) 4 August 1987 (1987-08-04) the whole document	1-14
A	RAMBALLY G K ET AL: "A text-to-speech environment: applications in education" PROCEEDINGS OF SOUTHEASTCON. WILLIAMSBURG, APRIL 7 - 10, 1991, PROCEEDINGS OF THE SOUTHEAST CONFERENCE, NEW YORK, IEEE, US, vol. 1, 7 April 1991 (1991-04-07), pages 1158-1161, XP010044994 ISBN: 0-7803-0033-5 the whole document	1-14

INTERNATIONAL SEARCH REPORT

Publication No
PCT/NL2004/000020

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0533055	A	24-03-1993	JP 2666202 B2 JP 5072968 A DE 69227876 D1 DE 69227876 T2 EP 0533055 A1 US 5680158 A	22-10-1997 26-03-1993 28-01-1999 02-06-1999 24-03-1993 21-10-1997
US 2002106621	A1	08-08-2002	NONE	
US 5010495	A	23-04-1991	AT 128571 T AU 5091090 A DE 69022721 D1 EP 0461127 A1 WO 9009020 A1	15-10-1995 24-08-1990 02-11-1995 18-12-1991 09-08-1990
US 6146147	A	14-11-2000	NONE	
DE 19935070	A	27-07-2000	FR 2788355 A1 DE 19935070 A1 GB 2345787 A	13-07-2000 27-07-2000 19-07-2000
US 4684348	A	04-08-1987	NONE	